Multi-Sector Needs Assessment November 2019 (MSNA) - Adamawa State NIGFRIA

CONTEXT

As the protracted crisis in North-East Nigeria progressed in its tenth year in 2019, humanitarian needs in Borno, Adamawa and Yobe (BAY) States remain dire and multifaceted. The conflict has resulted in 7.1 million individuals in need of humanitarian assistance¹. 80% of internally displaced persons (IDPs) are located in Borno State only, with a majority living in urban host communities. In addition to this humanitarian landscape in accessible areas. most recently the humanitarian community has identified around 1,000,000 individuals staying in hard-to-reach areas with little hope to be reached by humanitarian assistance².

To respond to persisting information gaps on humanitarian needs severity and to inform further the 2020 response planning, United Nations Office for Coordination of Humanitarian Affairs (OCHA)'s Inter-Sector Working Group (ISWG), with support from REACH, conducted a Multi-Sector Needs Assessment in the BAY States. Data collection took place between June 17th and July 30th 2019.

METHODOLOGY

Data collection comprised of a total of 8,019 household (HH) interviews. This assessment used a two-stage cluster sampling designed to collect data with a confidence level of 90% and a margin of error of 10% for all accessible areas within a Local Government Area (LGA) (not generalizable for each population group at LGA level). In Adamawa State, 2,822 surveys were kept for final analysis after cleaning.

The Adamawa State level factsheet mostly presents composite analysis at the sectoral and inter-sectoral level, such as living standards gaps (LSG) in food security & livelihoods, wa sanitation & hygiene (WASH), health, she education, protection, early recovery & livelihoo in addition to inter-sectoral composite indica such as a vulnerability index, an impact indica and a copig capacity gap indicator. Indica feeding into the composite analysis have b selected together with relevant sectors and/or ir sectoral coordination platforms.

Please find a more detailed methodology section Annex 1 of this factsheet.

Assessment sample

Households:	2,822
- IDP:	160
- Returnee:	2,246
- Non-displaced:	416

Local Government Areas: **21** (out of 21)

Demographics highlights

ater, elter, ods; tors ator	Female-headed households: 10%	Average household size: 5.2
tors een nter-	Child-headed households:	HH including chronically ill/ disabled member:
on in	5%	8%

MULTI-SECTORAL NEEDS INDEX (MSNI)

(severity score 4)

(severity score 3) (severity score 2)

% of households with a MSNI severity score of at least 3:

of households with a MSNI 71% # of households with a MSNI severity score of at least 3:3 427,419

see Annex 2 for details on methodology

% of households with an MSNI severity score of at least 3, per primary driver of score:



see Annex 2 for details on how to read sunburst graphs

% of households per MSNI severity score:

29%	Extreme
42%	Severe
26%	Stress
3%	No or mi

(severity score 1) minimal The MSNI is the final decision tree analysis from the MSNA analytical framework that allows for categorization of household severity of needs. It aims to mesure households' overall severity of humanitarian needs vis-à-vis their living standards, capacity gaps, and impact. It estimates severity of humanitarian needs (intensity) and proportion of households in each severity category

¹ OCHA, 2019 Humanitarian Needs Overview

(magnitude).

² OCHA, 2020 Global Humanitarian Overview

³ Figure obtained by applying the percentage on the population figure used for the Nigeria 2019 MSNA sample (using <u>Vaccination Tracking System, IOM Displacement Tracking Matrix datasets</u>).





MSNA I 2019 NIGERIA

% of households per MSNI severity score, per population group:



% of households with an MSNI severity score of at least 3, per population group:

Non-displaced	71%	
Returnees	73%	
IDPs	68%	

% of households with an MSNI severity score of at least 3, in Adamawa State:



% of households per primary driver of MSNI severity score per population group:



see Annex 2 for details on how to read sunburst graphs







% of households with an FSL LSG severity score of at least 3, in Adamawa State:



0%

25%

50%

75%

100%

4 The FOL comparish indicates consists of food comparising an

poor and borderline food consumption scores.

⁴ The FSL composite indicator consists of food consumption, reduced coping strategy index, primary source of fuel, barriers to accessing food, access to land and agriculture inputs. ⁵ Figure obtained by applying the percentage on the population figure used for the Nigeria 2019 MSNA sample (using <u>Vaccination Tracking System</u>, <u>IOM Displacement Tracking Matrix</u> datasets).





WATER, SANITATION & HYGIENE (WASH) LIVING STANDARDS GAP (LSG)⁶ NIGERIA



% of households with a WASH LSG severity score of at least 3, in Adamawa State:



6 The WASH composite indicator consists of writer a

⁶ The WASH composite indicator consists of water source, access to latrine and use of hand soap

⁷ Figure obtained by applying the percentage on the population figure used for the Nigeria 2019 MSNA sample (using <u>Vaccination Tracking System</u>, <u>IOM Displacement Tracking Matrix</u> <u>datasets</u>).



4



HEALTH LIVING STANDARDS GAP X (LSG)⁸

MSNA | 2019 NIGERIA

% of households with a health # of households with a health % of households with a health LSG severity score of at least 3: 25% LSG severity score of at least 3: 150,50 see Annex 2 for details on methodology % of households per health LSG severity score: 2% Extreme (severity score 4) Severe (severity score 3) 44% Stress-level (severity score 2) 32% No or minimal (severity score 1) % of households with a health LSG severity score of % of households per health LSG severity score, per at least 3, per population group: population group: Non-displaced 25% Returnees 30% Non-displaced **IDPs** 14% Extreme The indicators driving the severe and extreme LSG for health were Returnees Severe barriers to accessing health services, among which long distances Stress to health facilities. Across Adamawa, the most commonly reported Minimal barriers to accessing health were that the services and medicine are too expensive, followed by no medicine available. In Southern **IDPs** Adamawa, households reported that they did not have a skilled attendant present when women gave birth. 0% 25% 50% 75% 100%

% of households with a health LSG severity score of at least 3, in Adamawa State:

Madagali 29% % of HHs with a Health living standards gap Michika severity score of 3-4 Mubi Nort Hong 20% 19% High Mubi South 26% Guyuk 22% Shelleng 22% Low Lamurde 23% Demsa Girei Numan 14% Yola North 22% Yola South Fufore 10% 21% Mayo-Belwa 28% 28% Kilometers 25 50 100 0

⁸ The health composite indicator consists of barriers to accessing health, distance to health facilities, illnesses, maternal health and immunization. ⁹ Figure obtained by applying the percentage on the population figure used for the Nigeria 2019 MSNA sample (using <u>Vaccination Tracking System</u>, <u>IOM Displacement Tracking Matrix</u> <u>datasets</u>).







SHELTER LIVING STANDARDS GAP (LSG)¹⁰

MSNA | 2019 NIGERIA

Informing

more effective humanitarian action



% of households with a shelter LSG severity score of at least 3, in Adamawa State:



¹⁰ The shelter composite indicator consists of type pf shelter, ownership of shelter and damage to shelter.

¹¹ Figure obtained by applying the percentage on the population figure used for the Nigeria 2019 MSNA sample (using Vaccination Tracking System, IOM Displacement Tracking Matrix datasets)



6

EDUCATION LIVING STANDARDS GAP (LSG)¹²

MSNA | 2019 NIGERIA

% of households with an education LSG severity score of at least 3:

of households with an education LSG severity score 120,400 of at least 3:13

% of households per education LSG severity score:

	see Annex 2 fe	or details on methodology
1%	Extreme	(severity score 4)
19%	Severe	(severity score 3)
18%	Stress-level	(severity score 2)
63%	No or minimal	(severity score 1)
19% 18% 63%	Severe Stress-level No or minimal	(severity score 3) (severity score 2) (severity score 1)

% of households with an education LSG severity score of at least 3, per population group:

Non-displaced	22%	
Returnees	7%	
IDPs	13%	

The indicators primarily driving the severe and extreme LSG severity scores for education were children out of formal school and barriers to accessing education. Across Adamawa, a high percentage of households reported less than half their children attending formal education. The most commonly reported barriers to accessing education were school fees, cost of uniforms, distance to school, poor quality of school and lack of teachers.

% of households per education LSG severity score, per population group:



% of households with an education LSG severity score of at least 3, in Adamawa State:



12 The advection connects indicates consists of abildren connection

¹² The education composite indicator consists of children currently attending education, children who have never attended formal education, barriers to accessing education.
¹³ Figure obtained by applying the percentage on the population figure used for the Nigeria 2019 MSNA sample (using <u>Vaccination Tracking System</u>, <u>IOM Displacement Tracking Matrix</u> datasets).





PROTECTION LIVING STANDARDS GAP (LSG)¹⁴

MSNA | 2019 NIGERIA

% of households with a

protection LSG severity score of

at least 3:

% of households per protection LSG severity score:16

of households with a protection LSG severity score 6,020 of at least 3:¹⁵

OI at

1%

0%	see Annex 2 fo. Extreme	r details on methodology (severitv score 4)
1%	Severe	(severity score 3)
13%	Stress-level	(severity score 2)
86%	No or minimal	(severity score 1)

Informing

more effective

humanitarian action

% of households with a protection LSG severity score of at least 3, per population group:

Non-displaced	1%	
Returnees	4%	
IDPs	0%	

The indicators primarily driving the severe and extreme LSG severity scores for protection were movement restrictions, security incidents, and loss of documentation. Across Adamawa, a high percentage of households reported movement restrictions at night. Additionally, a high percentage of households reported having lost legal documentation for both adults and children.

% of households per protection LSG severity score, per population group:



% of households with a protection LSG severity score of at least 3, in Adamawa State:



¹⁴ The protection composite indicator consists of experience of security incidents, movement restrictions, loss of documentation, risk of human trafficking, risk of eviction, missing family members and psychosocial distress. ¹⁵ Figure obtained by applying the percentage on the population figure used in Nigeria 2019 MSNA sample (using <u>Vaccination Tracking System</u>, <u>IOM</u> <u>Displacement Tracking Matrix datasets</u>). ¹⁶ Low protection needs can be explained by various reasons as mentioned in the box on p.12.



INTER-SECTOR WORKING GROUP

EARLY RECOVERY & LIVELIHOODS **MSNA | 2019** (ERLS) LIVING STANDARDS GAP (LSG)¹⁷ NIGERIA



% of households with an ERLS LSG severity score of at least 3, in Adamawa State:



¹⁷The ERLS composite indicator consists of source of income, having debt, access to cash, waste management services, banking, mobile phone and internet access, and public services. ¹⁸ Figure obtained by applying the percentage on the population figure used in Nigeria 2019 MSNA sample (using <u>Vaccination Tracking System</u>, <u>IOM Displacement Tracking Matrix</u> datasets).





21%

MSNA | 2019 NIGERIA

% of households with a CG severity score of at least 3:

of households with a CG severity score of at least 3:²⁰

126,420

see Annex 2 for details on methodology

% of households per CG severity score:



% of households with a CG severity score of at least 3, per population group:

Non-displaced	20%	
Returnees	31%	
IDPs	20%	

The indicators primarily driving the capacity gap were negative coping strategies for insufficent water, lack of fuel and low reduced Coping Strategy Index (rCSI) score. The most commonly reported strategies for lack of water include reduce washing and fetching water from farther away. Additionally, the most commonly reported strategies for lack of fuel were to use less preffered fuel and reduce the number of meals per day.

% of households with a CG severity score of at least 3, in Adamawa State:



¹⁹ The coping gap composite indicator consists of the reduced Coping Stategy Index, main strategies for insufficent water, income and fuel, medical treatment, and NFI needs.

²⁰ Figure obtained by applying the percentage on the population figure used for the Nigeria 2019 MSNA sample (using <u>Vaccination Tracking System</u>, <u>IOM Displacement Tracking Matrix</u>

datasets). ²¹ Discrepancy between the overall MSNI severity scores 3 and 4 percentage and the category disaggregation is due to rounding to the unit.



10



% of households per CG severity score, per population group:





WELL-BEING: MALNUTRITION & EXPLOITATION RISK



Adamawa State Global Acute Malnutrition (GAM) rates for 0-59 months infants, per livelihood domain (secondary data):²²



Madagali, Michika, and Mubi South LGAs showed the highest proportions of HHs presenting a risk of labour exploitation:

• 18% of HHs in Madagali, 10% of HHs in Mubi South mentioned that someone in the HH worked for someone else without getting paid.

• 14% of HHs in Madagali, 13% of HHs in Michika mentioned that someone in the HH received less payment than promised for work.

• 7% of HHs in Madagali and Hong mentioned that someone in the HH worked excessive hours.



VULNERABILITIES²³

% of households per vulnerability severity score:



% of households with a vulnerability severity score of at least 3, per population group:

Non-displaced	7%	
Returnees	15%	
IDPs	10%	

The indicators primarily driving vulnerability in Adamawa were a high percentage of returnee child-headed households, and pregnant and lactating women. The LGAs with the highest proportions of vulnerable households were Mubi North, Madagali, and Mubi South.





% of households with an impact severity score of at least 3,

50%

% of households per impact severity score:

0%	Extreme	(severity score 4)
0%	Severe	(severity score 3)
25%	Stress-level	(severity score 2)
75%	No or minimal	(severity score 1)

Extreme

Strock

Minima

100%

% of households with an impact severity score of at least 3, per population group:

Non-displaced	0%
Returnees	0%
IDPs	4%

The indicators primarily driving the severe impact severity scores were no access to phone network, communities living in an area with facilities affected by conflict and IDP households reporting movement restrictions.

acondary data provided by the Nutritian Sector, data from May 2010

²² Secondary data provided by the Nutrition Sector, data from May 2019.

²³ The vulnerability criteria consists of isolated, female-headed, child-headed HHs, age dependency ratio, HHs including a chronically ill or disabled member, HHs living in food insecure area.
²⁴ The impact composite indicator consists of indicators looking at impact on people, on systems and services, and on access to aid. See final report for more detailed indicators.

Non-displaced

Returnees

IDPs

0%

25%

per population group:





75%

11 INTER-SECTOR WORKING GROUP

MULTI-SECTORAL NEEDS



% of households with LSG severity scores of at least 3 in one or more sectors, per population group:

% of households with sectoral LSG severity scores of at least 3, per population group:



As observed on the radar graph above, while the sectoral LSG composite indicator for Protection was informed by the Protection sector and subsectors, it resulted in low % overall and compared to other sectoral LSG. Explanations for this include:

· General under-reporting of protection information through HH surveys;

· Low interplay of indicators within the Protection LSG composite indicator;

• Low prevalence of protection issues in some specific areas.

Most common needs profiles of households found to have LSG severity scores of at least 3 (% of households):



100% of households were found to have at least one LSG severity score and/or a CG severity score of at least 3:



- of households were found to have at least one LSG severity score of at least 3 but a CG severity score lower than 3;
- of households were found to have both at least one LSG severity score and a CG severity score of at least 3;

of households were found to have all LSG severity scores lower than 3 but a CG score of at least 3.



ANNEX 1: METHODOLOGY

The Multi-Sector Needs Assessment (MSNA) is a crisis-wide assessment that aims to provide a broad understanding of humanitarian needs in the areas and for the population groups assessed. In North-East Nigeria, for the 2nd year in a row, REACH facilitated this MSNA in all the accessible areas, and covering all population groups in Borno, Adamawa and Yobe States - non-displaced, IDP and returnee households. Due to the deterioriated security environment, the 2019 MSNA had a lower geographical coverage than the 2018 MSNA. Notably. teams could not cover Abadam, Guzamala, Kukawa, Marte, and Nganzai LGAs in Borno State; as well as Geidam LGA in Yobe State. More than a mere logistical impediment to field operations, this should be considered as a findings in itself.

The Multi-Sector Needs Index (MSNI) is an analysis approach proposed by REACH for the 2019 MSNAs, which incorporates some elements of the draft Joint Inter-Sectoral Analysis Framework (JIAF), an analytical framework being developed at global level aiming to enhance understanding of needs of affected populations at a more inter-sectoral level. The Nigeria MSNA analysis tried to follow as much as possible the draft JIAF: the Context informed by a secondary data review developed jointly with sectors through the Information Management Working Group (IMWG); the Event and Shock pillar also informed by the secondary data review and primary data collection on household vulnerabilities; the Impact pillar informed by a composite indicator looking at impact on people, on systems and services, and on access; and finally the Humanitarian Conditions pillar informed by the sectoral analysis as well as inter-sectoral indicators such as the coping capacity gap. This MSNI analysis is considered an interim approach until the JIAF is fully endorsed and implemented at the global level.

More information about the MSNA can be found in these <u>research Terms</u> of <u>Reference (ToRs)</u>.

MSNI decision tree :



Population figures in Adamawa State, overall, per assessed LGA, and per population group:25

MSNA | 2019

NIGERIA

State / LGAs	Non- displaced HHs	IDP HHs	Returnee HHs	Total # of HHs
Adamawa State overall	512,813	26,782	62,403	601,998
Demsa	21,469	2,195	1,279	24,943
Fufore	36,199	1,115	0	37,314
Ganye	34,792	116	0	34,908
Girei	33,882	3,757	281	37,920
Gombi	27,405	316	3,885	31,606
Guyuk	21,479	797	473	22,749
Hong	31,905	382	15,941	48,228
Jada	27,781	55	0	27,836
Lamurde	13,330	480	4,012	17,822
Madagali	2,779	301	1,527	4,607
Maiha	5,017	596	2,541	8,154
Mayo-Belwa	29,887	284	64	30,235
Michika	9,473	3,317	12,623	25,413
Mubi North	17,364	1,453	6,640	25,457
Mubi South	14,989	1,343	6,332	22,664
Numan	18,635	3,987	3,983	26,605
Shelleng	17,239	285	0	17,524
Song	39,484	686	2,568	42,738
Toungo	8,924	79	0	9,003
Yola North	39,995	2,507	0	42,502
Yola South	60,785	2,731	254	63,770

Rationale for MSNI decision tree - progressive deterioration of a household's situation towards the worst possible humanitarian outcome :



REACH

Informing

more effective

humanitarian action



ANNEX 2: HOW TO READ A SUNBURST DIAGRAM

The sunburst diagram shows hierarchical data. Every level of the hierarchy is represented by one ring or circle with the innermost circle as the top of the hierarchy.

The innermost circle represents the proportion of households categorised with a MSNI severity score of at least 3 (or, in the case of groups/areas of particular concern, the proportion of households categorised with the highest MSNI severity score).

The ring immediately surrounding the innermost circle shows the proportion of households whose MSNI severity score (of at least 3) was *primarily* driven by:

- a) Living Standard Gap (LSG) in food security/ livelihoods or WASH; OR
- b) Capacity gap; OR
- c) Co-occurring LSGs in health and shelter, or health and protection, or shelter and protection; OR
- d) LSG in health, or shelter, or protection and have been severely impacted by the event/shock.

The outer ring breaks down the primary divers of the MSNI severity score (above) even further, by showing the breakdown of the proportion of households:

i. Within a) (above) whose needs were driven by an LSG in food security, or WASH, or both;

ii. Within c) whose needs were driven by co-occurring LSGs in either health and shelter, or health and protection, or shelter and protection, or all three sectors

iii. Within d) whose needs were driven by an LSG in health, or shelter, or protection, in addition to an impact of the event/shock on households.

Example:



"In Borno, 72% of households overall were found to have severe or extreme humanitarian needs (MSNI severity score 3 or 4). For a majority of those households (83%) these needs were primarily driven by a living standards gap (LSG) in FSL and/or WASH, with in particular 44% of households whose needs were primarily driven by an LSG in WASH, 23% of households whose needs were primarily driven by an LSG in FSL, and 16% by combined LSGs in FSL and WASH. For 13% of households with an MSNI severity score of 3 or 4, those needs were primarily driven by capacity gaps, which entail a high reliance on negative coping strategies. The remaining 4% of households with an MSNI severity score of 3 or 4 had needs primarily driven by a co-occurence of at least two LSGs in health, protection, shelter (2%) and the added impact of the crisis with two of the previous LSGs (2%)"



MSNA | 2019

NIGERIA



ASSESSMENT CONDUCTED IN THE FRAMEWORK OF:

MSNA I 2019 NIGERIA

INTER-SECTOR WORKING GROUP

FUNDED BY:



Funded by European Union Civil Protection and Humanitarian Aid

WITH THE SUPPORT OF:















About REACH:

15

REACH Initiative facilitates the development of information tools and products that enhance the capacity of aid actors to make evidence-based decisions in emergency, recovery and development contexts. The methodologies used by REACH include primary data collection and in-depth analysis, and all activities are conducted through inter-agency aid coordination mechanisms. REACH is a joint initiative of IMPACT Initiatives, ACTED and the United Nations Institute for Training and Research - Operational Satellite Applications Programme (UNITAR-UNOSAT).





