

Camp 8W, Ukhia, Cox's Bazar, Bangladesh (April 2018)




. Overview

In April 2018, REACH conducted a WASH Baseline Assessment survey at the household level with support from UNICEF and in collaboration with the WASH sector in Cox's Bazar district, Bangladesh. The objective of the survey is to establish a baseline for the current knowledge, attitude, behaviours and practices (KABP) in relation to WASH amongst Rohingya refugee populations in Cox's Bazar district. In addition, the survey aims to understand WASH-related needs and vulnerabilities amongst Rohingya refugee populations living in camps within Cox's Bazar district, including priority areas and type of intervention, to inform humanitarian planning.

•

Coverage Map



Methodology

In April 2018, REACH collected data for the baseline household assessment across all 35 camps existing at the time of assessment. A representative sample of a total of 3,576 households was drawn, using population data collected in Round 9 of the IOM Needs and Population Monitoring (NPM), yielding findings generalisable with a 95% confidence level and a 10% margin of error at camp level. Using a shelter footprint developed by REACH in partnership with UNOSAT, random sample points were generated to assist enumerators in selecting households to interview. In Camp 8W, 95 households were interviewed.

Indicators informing the survey questionnaire were developed in close collaboration with UNICEF partners and the WASH Sector in Cox's Bazar, as well as the Global WASH Cluster. The tool was translated from English to Bangla, and then reverse translated to ensure questions were translated accurately. Data collection was conducted using Kobo software on smartphones. In addition, data checking and cleaning took place daily to improve the accuracy of findings. Enumerator training took place prior to the start of data collection and included training on testing for residual chlorine as well as Prevention of Sexual Exploitation and Abuse (PSEA), which was delivered by a PSEA advisor.

Most data was collected by asking the head of the household for their response, however, calculation of the volume of drinking water was completed by direct observation of the number of containers used and the capacity of each container. Further to this, for access to handwashing and soap, enumerators were asked to verify the presence of soap in the home by asking household members to show them the soap. Secondary data was also utilised for this assessent, specifically UNHCR Cox's Bazar population data as of 30 April 2018, and REACH infrastructure monitoring data for March/April 2018.

Products

As part of this WASH Baseline Assessment, 35 camp-level factsheets have been produced, outlining key findings from the survey, including a report of findings in line with Global WASH and Cox's Bazar WASH sector indicators.

All REACH products are available on the <u>REACH Resource Centre</u>. In addition, all datasets are available on <u>Humanitarian Data Exchange</u>, while all factsheets and maps are available on <u>HumanitarianResponse</u>.

To provide feedback on REACH products or subscribe to REACH's mailing lists, please contact bangladesh@reach-initiative.org.

100%

Demographic and WASH infrastructure data (April 2018)

Camp WASH focal point Key WASH infrastructure and functionality Secondary data sources Population data # of people per functional* and safe^ latrine: 27 **Practical Action** IOM NPM Round 9 **Site Overview** # of people per functional* latrine: 22 (March 2018) key # of individuals: 28,325 informant data+ # of people per safe^ latrine: 26 **UNHCR Cox's Bazar** # of population data as of # of people per functional handpump: 97 households: 6.748 30 April 2018 # of functional handpump with no latrine within 10m: 187 Infrastructure data: **REACH Rohingya** % of shelters with one functional and safe* latrine block within 50m: 98% settlement infrastructure

*Latrines that are unclogged are considered to be functional; ^Latrines with a working door and lock are considered to be safe *IOM NPM Round 9 key informant data was used in developing the sampling frame for this assessment



monitoring data for

March/April 2018

% of shelters with at least one functional handpump source within 200m



Camp 8W, Ukhia, Cox's Bazar, Bangladesh (April 2018)



Water


Key Indicators

Proportion of households with access to an improved* water source*	100%
Proportion of households for whom distance to/queuing at a water point constitutes an access problem^	55%
Proportion of households who engage in negative coping strategies to compensate for water insufficiency*	37%
Proportion of households practicing, possessing or having received water treatment supplies^*	14%
Proportion of households possessing at least one acceptable [%] narrow-necked or covered water container for drinking water [^]	99%


[^]Global WASH Indicators I *Cox's Bazar WASH Sector Indicators

Water access

Proportion of households reporting primary water sources for drinking and non-drinking¹ water



Reported most common member who collects water¹




Reported problems with accessing water

56% of households reported problems, including the top three most common problems:



Reported time to walk to/from and waiting time at the water source



Coping strategies

Reported coping strategies when there is not enough clean water

37% of households reported employing a coping strategy, including the four most common strategies:¹

Everyone drinks less	22 %	
Borrow from neighbours	4%	
Adult males drink less	11%	
Adult females drink less	11%	

1% of households reported using unsafe water sources when there is no clean water

Reported clean water treatment methods

14% of households reported using treatment, of which:1

13% use disinfection (Aquatabs, PUR, Tab 10)

0% use cloth filters

2% boil water

Water storage

Proportion of households reporting possession of different types of drinking water storage

At least one narrow-necked or covered drinking container


99%

Two or more containers for drinking water storage

36%

10 or more litres of drinking water storage capacity 1%

Reported four most common types of drinking containers used¹



¹respondents could select more than one answer for this question





^{*}Improved water sources include: piped water, tubewell, borehole, protected dugwell, protected spring, rainwater, bottled water, cart with small tank, or water tank

^{*}Drinking containers that are considered acceptable must have tight-fitting lids and a tap or pouring hole, and must not be leaking or cracked



Camp 8W, Ukhia, Cox's Bazar, Bangladesh (April 2018)



Sanitation

Key Indicators

Proportion of households in which at least one member practices open defecation^*

- age five and over

- under five


Proportion of households with children under five who dispose of children's faeces in a safe* manner^

57%

Defecation

Proportion of households reporting members of different ages usually defecating in different spaces¹

Members older than 5 I Members younger than 5



Reported most common methods for households with children under five to dispose of children's faeces¹




Waste


Proportion of households reporting the presence of solid waste around the household

Always	5%	Often	8%
Sometimes	68%	Never	19%

Proportion of households reporting different methods for disposing of household waste¹



Reported level of satisfaction with solid waste management around the house




Latrines

Proportion of households reporting different problems with latrine access


50% of households reported facing problems with accessing latrines, including the following reported problems:¹

Too many people	35 %	Latrine is not safe	2%
Too full	22%	Bad smell/many flies	17%
Not clean	20%	No one cleans	3%
Too far away	29%	Route is not safe	6%
No gender separation	4%	Not private	3%
Insufficient water	14%		

Proportion of households reporting different levels of satisfaction with latrine access



Proportion of households reporting that different family members would feel unsafe when using latrines at night¹



¹respondents could select more than one answer for this question

[^]Global WASH Indicators | *Cox's Bazar WASH Sector Indicators

^{*}Disposing of children's faeces in a latrine is considered to be safe



Camp 8W, Ukhia, Cox's Bazar, Bangladesh (April 2018)



Tygiene Hygiene

Key Indicators

Proportion of households reporting problems with bathing facilities^

Proportion of households possessing soap⁺ or other rubbing agent or having received soap as part of a distribution^*

65%**

^Global WASH Indicators | *Cox's Bazar WASH Sector Indicators

Bathing

Proportion of households reporting use of different types of bathing facilities1


Designated household area Communal facility/chamber (WASH room) Tubewell platform 50%

Proportion of households reporting different problems with bathing facilities1


79% of households reported problems with bathing facilities, including the following five most common problems:1

Not enough/too crowded 34% No/not enough water 32% Unsafe (i.e. no door or lock) 34% No privacy/gender separation 25% Too far away 20%

Proportion of households reporting different levels of satisfaction with bathing facilities



Proportion of households reporting that different family members would feel unsafe when using bathing facilities at night1



Soap

Proportion of households reporting owning soap for hand-



Proportion of households reporting problems with accessing


50% of households reported problems with accessing soap. including the two most common problems:1

> Unavailable 42% Too expensive 25%

Proportion of households reporting access to soap at latrines

Yes 23% Sometimes 10% 50% Take own soap and water 17%

Proportion of households reporting having received hygiene demonstrations or training within a month prior to the survey1



¹respondents could select more than one answer for this question

^{*}When respondents reported to possess soap, at 50% of households enumerators saw the soap, and at 15% of households enumerators did not see the soap