#### Yemen WASH Needs Tracking System (WANTS)

#### Ku'aydinah District, HajjahGovernorate

The Yemen Water, Sanitation and Hygiene (WASH) Cluster launched the WASH Needs Tracking System (WANTS) with the support of REACH to provide high quality WASH data and inform more effective WASH programming and planning. The WANTS comprises a set of harmonized monitoring tools which, through partner data collection, provide updated information and analysis on WASH access and needs throughout Yemen.

The cholera key informant (KI) interview tool is a community-level WANTS tool used in cholera priority districts<sup>1</sup>. The findings below are based on seven (n=7) cholera key informant (KI) interviews conducted across 6 communities in Ku'aydinah district, Hajjah governorate. The type of assessed localities were rural areas. KIs are reporting WASH needs of their own communities. Data was collected by RMENA for Human Relief & Development in October 2022. These findings should be interpreted as indicative of the WASH needs in Ku'aydinah district.

# Demographics<sup>2</sup>

Total population in district	120,643
Total internally displaced people (IDP) in district	7,191
Proportion of the population living with disaility	15%

# 💧 Water

**0/7** KIs reported that people in their community mainly relied on an improved water source<sup>3</sup> for drinking water in the 30 days prior to data collection.

3/7 KIs reported issues related to taste, appearance or


smell of water in the 30 days prior to data collection.

# Proportion of KIs reporting water access problems in the 30 days prior to data collection:<sup>4</sup>

Some groups (children, women, elderly, ethnic

points points	3/1	
People don't like the taste/quality of the water	2/7	
Waterpoints are too far	2/7	
Waterpoints are difficult to reach (especially for people with disabilities)	2/7	
Storage containers are too expensive	1/7	
Insufficient number of water points/ waiting time at water points	1/7	
<b>3/7</b> KIs reported that half people in their community		

3// KIS reported that half people in their community treated their drinking water in the 30 days prior to data collection, whereas 2/7 KIs reported few had, and 2/7 KIs reported no one had.



## 🚏 Health

2020 Cholera Severity Score51Global Acute Malnutrition (GAM) prevalence rate624.8%

### 🦫 Hygiene

4/7 KIs reported that most people in the community had enough soap in the 30 days prior to data collection, whereas 2/7 KI reported everyone had, and 1/7 KI reported half the people had.

## Sanitation

4/7 KIs reported that everyone or most people in their community had access to a functional latrine in the 30 days prior to data collection, whereas 2/7 KIs reported few had access, and 1/7 KIs reported half the people had access.

Main sanitation facility type used by people in the community in the 30 days prior to data collection, as reported by KIs:

Open hole

Pit latrine without a slab or platform





4/7 KIs reported that specific groups had issues accessing sanitation in the 30 days prior to data collection.

REAU

Participating partner:



#### Hilfe zur Selbsthilfe

Informing

more effective

humanitarian action

1) Districts pioritized by the Yemen WASH Cluster for cholera intervention due to cholera incidence and clustering of cases, including high and/or sudden increases in cases. 2) All demographic information is based on UNOCHA 2022 Yemen Population projections. 3) Improved drinking water source is <u>defined by the WHO</u> as a source that, by nature of its construction, adequately protects the water from outside contamination, in particular from faecal matter. 4) KIs could select more than one answer. 5) Cholera severity scores based on Suspected Cholera Incidence Rate per 10,000 people. Reported by WHO for 2021 Humanitarian Needs Overview. Cholera Severity score is a cale of 1 to 5 with 5 being the most severe. 6) Combined GAM prevalence, % children 6-59 months with MUAC 125mm or less and/or WFH Z-score -2 or less. Based on <u>Yemen Nutrition Cluster Achievements</u> Analysis 2020-2022. 7) Pit VIP toilet is a ventilated improved pit latrine, latrine that has a pipe that allows for ventilation to reduce odour and flies.





