





Somalia - Baidoa

Faduma Abo Asharaw - Settlement Facilities (December

For humanitarian relief purpose only Production date: 21 March 2014

School

Primary

ECD

other

Waterpoint

Protected Well - Hand Pump

Tank and Tap

Unprotected Well

Burkad

Other Piped System

Type of Latrines

Communal

Household

Facilities

Garbage Collection Point

Health Facility

Kiosk

Market

Mosque

Assessed IDP settlement

Shelter (UNOSAT analysis)

Facilities and IDP sections: REACH assessment Shelter: UNOSAT analysis (21.08.2013-08.02.2014)
Admin level: OCHA COD
Imagery (1): 08 February 2014 Astrium Services

Imagery (2): 21 August 2013 WorldView Coordinate System: GCS WGS 1984 File: SOM_Baidoa_IDP_21mars2014_A3

Contact: reach.mapping@impact-initiatives.org The assessment does not cover all IDP settlements in Baidoa town. Areas of assessment represent only those identified by the clusters as

priorities . The remaining shelters have not been assessed but may be interesting for future intervention by actors.

Note: Data, designations and boundaries contained on this map are not warranted to error-free and do not imply acceptance by the REACH partners, associated donors mentioned on this map. For Humanitarian purposes only.

Funded by







