# **Detailed Site Assessment (DSA)**

March 2021

## Dharkenley district, Banadir region, Somalia

## SOMALIA

## CONTEXT

The protracted humanitarian crisis in Somalia is multi-layered and complex. Limited development coupled with recuring climatic shocks, such as drought and riverine-/flash-flooding give rise to high levels of need among affected populations, while insecurity and conflict severely hinder access to humanitarian actors. The majority of internally displaced persons (IDPs) reside in overcrowded shelters in densely populated urban areas, further increasing their exposure to the risks and impact of COVID-19.

The Detailed Site Assessment (DSA) was initiated in coordination with the Camp Coordination and Camp Management (CCCM) Cluster in order to provide the humanitarian community with up-to-date information on the location of IDP sites, the conditions and capacity of the sites, and an estimate of the severity of humanitarian needs of residents. Data collection for the current round of the DSA took place from December 2020 to March 2021 and assessed **2,363 IDP settlements** in 61 districts across Somalia.

## METHODOLOGY

Findings are based on key informant (KI) interviews with purposefully sampled KIs who reported on the settlement level. Interviews were conducted by REACH in accessible locations. Targeted areas within districts were determined based on a secondary data review, which drew on previous assessments conducted on IDP populations. After identifying target areas, REACH located IDP settlements by contacting the lowest level of governance<sup>1</sup>.

The methodology for the fourth round of the DSA was developed in close consultation with clusters and partner organisations and updated to improve the quality and reliability of data collected regarding IDP settlement locations, estimated size of resident populations, and the severity of humanitarin needs. The severity scale goes from 1 to 4+ and the severity phases are none/minimal, stress, severe, extreme and extreme+. For the list of indicators and the severity score calculations, see page 4 of this factsheet. All findings presented on this factsheet relate to the % of sites with a given response, and should be considered indicative, rather than representative, of the humanitarian situation in assessed sites.

To provide a local, context-specific overview and allow more targeted responses, this factsheet presents a summary of findings of assessed settlements in Dharkenley district only.

#### **Assessment information**



**27** assessed sites hosting



7,874 households\*




#### Displacement

Total number of IDP individuals* arriving into a new settlement in the past 3 months	225
Total number of IDP individuals* departing from an old settlement in the past 3 months	18

\*This is an estimated number

## ASSESSMENT COVERAGE MAP



## Summary of severity score\*

Clusters	Severity Score	Severity phase
Food Security & Livelihoods	4	Extreme
Nutrition	3	Severe
Health	4	Extreme
Protection	4	Extreme
Shelter & Non-Food Items	2	Stress
Education	3	Severe
Water, Sanitation & Hygiene	4	Extreme

For the list of indicators and the severity score calculations, see page 4 on this factsheet.

\*The analysis methodology was adjusted between 2020 and 2021 in order to align with other multi-sectoral assessments carried out by REACH and other partners. This included adapting the ranking system. Therefore, the results for 2021 cannot be compared directly with the previous years, but can be useful to show the differences between the sectors and districts.

<sup>1</sup>District Office, Mayor's Office, etc.

#### **REACH** Informing more effective humanitarian action

## Dharkenley district, Banadir region, Somalia


## DSA | 2021 Dharkenley

Extreme+

0%

**Extreme** 

4%



NUTRITION

## % of sites per nutrition severity score: **Stress**

22%

Proportion of site nutrition services:	es with no	) access to		14%
Proportion of sites facility is more that				14%
Proportion of sites been received in the		-		
Therapeutic & Supp	lementary	Food	63%	6
Super Cereal Plus			44%	6
Therapeutic milk pro	oducts		33%	6
Proportion of sites accessing nutritior			ers to	
Cost is too high			48%	-
Treatment center is	too far		48%	-
Facility not open			44%	)
EDUCAT				
% of sites per ec	lucation	severity sc	ore:	
No or minimal	Stress	Severe	Extreme	
0%	52%	48%	0%	0%
Proportion of sites access to learning		y having no		4%
Proportion of sites we more than 60 minut			ation facility	v is 10%
Reported type of lea	arning faci	lities availabl 96%	e at sites <sup>2,3</sup> :	
Primary		44%		
Secondary		30%		
Most commonly rep	orted barr	iers accessin	g educatio	n for girls <sup>2</sup> :
School fees		67%		
No barriers		59%		
Distance to school		52%		
Most commonly rep	orted barr	iers accessin	g educatio	n for boys <sup>2</sup> :
School fees		74%		
Distance to school				
		63%		

<sup>4</sup>The findings related a subset of 10 sites where KIs reported not having access to enough food.



2

#### PROTECTION

#### % of sites per protection severity score:

/0 01 5116					
No or minima	Stress	Severe	Extreme	Extreme+	
0%	26%	18%	56%	0%	
-	n of sites repor dly spaces:	tedly having	g no	56%	
	n of sites repor d spaces whe jather:			59%	
	n of sites where t during the day			7%	
	n of sites by typ tedly happened ction <sup>2,3,5</sup> :	-		-	
No incident	ts occurred	33	3%		
Armed viol	ence	20	6%		
Taxation by	/ non-governme	nt actors 18	3%		
	n of sites by rep ncidents typical			safety and	
On the way	/ or at the NFI m	arkets 47	7%		
When leav	ing IDP site	4	1%		
On the way	/ or at food mark	tets 3	5%		

## WATER, SANITATION & HYGIENE (WASH)

#### % of sites per WASH severity score:

No or minimal	Stress	Severe	Extreme	Extreme+
15%	18%	37%	30%	0%
Water				
Proportion of functioning w 60 minutes av	vater sourc	e is more th		0%
Three most co	ommonly re	ported prima	ry sources	of water <sup>2,4,9</sup> :
Piped system		4	4%	
Vendors or sho	р	3	3%	
Water kiosk (h	umanitarian)	2	2%	l
Proportion of water <sup>2,3</sup> :	sites by	reported me	thods used	to treat
Chlorine tablet	s/aquatabs	8	2%	
Boiling		6	3%	
Cloth filter		1	1%	

<sup>5</sup> Incidents due to UXO ("Unexploded ordnance (UXO) is any sort of military ammunition or explosive ordnance which has failed to function as intended")

<sup>6</sup>The findings related a subset of 17 sites where KIs reported incidents occurred in the sites in

CCCM CLUSTER

past 3 months prior to the data collection


<sup>7</sup>The findings related a subset of 25 sites where KIs reported having access to NFI markets.

#### **f SHELTER & NON-FOOD ITEMS**

% of sites per r	nutrition s	everity sco	ore:	
No or minimal 48%	Stress 52%	Severe 0%	Extreme 0%	Extreme+ 0%
Proportion of site access to markets			7%	
Three most comn at markets <sup>2,7</sup> :	nonly report	ted types of N	IFIs availab	ole
Clothes		80%		
Local construction	materials	76%		
Medicines		72%		
Proportion of site fires occurred in the prior to data colle	he sites in th		18%	
Proportion of site floods occurred i months prior to d	n the sites	in the 12	48%	
Most commonly re	eported type	es of shelters	at sites <sup>2,8</sup> :	
Buul		85%		

Buul	85%	
CGI sheet wall and roof	52%	
Tent	48%	

### Sanitation:



Burning	71%
Burial if in designated areas far from houses	10%
Burial - also in areas close to houses	10%

Burial - also in areas close to houses

#### Hygiene:

Top three groups reportedly facing impediments in accessing latrines<sup>2,10</sup>:

Elders (Persons aged 60 and more)	78%	
Children	74%	
	/ 0	
Women	63%	

Proportion of sites where the population reportedly received hygiene support in the 3 months prior to data collection:

8Corrugated Iron Sheets.

<sup>9</sup>The findings related a subset of 22 sites where KIs reported presence of water sources at the sites. <sup>10</sup>The findings related a subset of 27 sites where KIs reported having access to functioning latrines or bathing facilities





#### Accountability to Affected Populations (AAP) Practices (KAP) Proportion of sites by sources of information reportedly used to receive information about humanitarian services<sup>2,3</sup>: of COVID-19 as an important issue: Radio 100% 48% Television Friends / Neighborhood / Family 48% Three most common sources of information for persons with disabilities<sup>2</sup>: Radio 93% to prevent the spread of COVID-19<sup>2,3</sup>: Friends / Neighborhood / Family 93% Community leaders 44% Proportion of sites by problems reportedly experienced during the delivery of humanitarian assistance<sup>2,3</sup>: Not enough for all entitled 81% Some population groups not receiving aid 43% Fighting between recipients 33% soap: Proportion of sites where KIs reported people have access to a feedback mechanism: 🔝 Camp Coordination and Camp Management settlements<sup>2,3</sup>: Proportion of sites by reported type of site management<sup>2,3</sup>: 67% Gatekeeper 44% Local authority

# **COVID-19 Knowledge, Attitude, and**

Proportion of sites where most people reportedly think

Yes	60%	
No	40%	
Do not know	0%	

Proportion of sites by reported actions taken by most people

Stopping physical contact	63%	
Reducing movement	<b>59%</b>	
Keeping distance from people	52%	

Average of reported estimate proportions of households per site with access to functioning hand-washing facilities with water and

0 - 25%	26 - 50%	51 - 75%	76 - 100%
88%	12%	0%	0%

Proportion of sites by committees reportedly available in the site:

Proportion of sites where KIs reported that women are present in committees:	100%
Women committee 78%	
Residents committee 82%	
Camp management committee 89%	

## SEVERITY SCORE CALCULATION

Community leader

The severity scores for a given sector is produced by aggregating unmet needs indicators per sector. For this round of the DSA, a simple aggregation methodology has been identified, building on the Multidimensional Poverty Index (MPI) aggregation approach. Using this method, each site is assigned a deprivation score according to its deprivations in the component indicators. The deprivation score of each site is obtained by calculating the percentage of the deprivations experienced, so that the deprivation score for each site lies between 0 and 100. The method relies on the categorization of each indicator on a binary scale: does ("1") / does not ("0") have a gap. The threshold for how a site is considered to have a particular gap or not is determined in advance for each indicator. The DSA IV aggregation methodology outlined below can be described as "MPI-like", using the steps of the MPI approach to determine an aggregated needs severity score, with the addition of "critical indicators" that determine the higher severity scores. The section below outlines guidance on how to produce the aggregation using KI data.

1) Identified indicators that measure needs ('gaps') for each sector, capturing the following key dimensions: accessibility, availability, quality, use, and awareness. Set binary thresholds: does ("1") / does not ("0") have a gap;

- Identified critical indicators that, on their own, indicate a gap in the sector overall;
- 3) Identified individual indicator scores (0 or 1) for each site, once data had been collected;
- Calculated the severity score for each site, based on the following decision tree (tailored to each sector);

a. "Super" critical indicator(s): could lead to a 4+ if an extreme situation is found for the site;

44%

b. Critical indicators: using a decision tree approach, a severity class is identified based on a discontinued scale of 1 to 4 (1, 3, 4) depending on the scores of each of the critical indicators;

c. Non-critical indicators: the scores of all non-critical indicators are summed up and converted into a percentage of possible total (e.g. 3 out of 4 = 75%) to identify a severity sector;

d. The final score/severity class is obtained by retaining the highest score generated by either the super critical, critical or non-critical indicators. The indicators for each cluster were selected in coordination with all the clusters. In total 53 indicators were selected to assess the severity of needs across 7 clusters.

Note: The indicators for CCCM and Accountability to Affected Population (AAP) are not part of the severity calculations across the sectors. Hence, the CCCM and AAP sections in this factsheet do not present the severity scores





# ASSESSMENT CONDUCTED IN THE FRAMEWORK OF:

Somalia Assessment Working Group Somalia Information Management Working Group

## **FUNDED BY:**



Funded by European Union Humanitarian Aid

# WITH THE SUPPORT OF:



## Data Collection partners

**DSA | 2021** 

Dharkenley

- 1 Islamic Relief
- 2 WISE
- 3 ACTED
- 4 Kaalo
- 5 IOM
- 6 SHACDO
- 7 IOM-CCM
- 8 ASAL

For a more detailed overview of the methodology and a comprehensive list of all the composite indicators that were used, you can access the terms of reference (ToR) <u>here</u>. The indicators and their respective thresholds are included in the annex section of the ToR, page 56-78.

#### About REACH:

REACH facilitates the development of information tools and products that enhance the capacity of aid actors to make evidence-based decisions in emergency, recovery and development contexts. The methodologies used by REACH include primary data collection and in-depth analysis, and all activities are conducted through inter-agency aid coordination mechanisms. REACH is a joint initiative of IMPACT Initiatives, ACTED and the United Nations Institute for Training and Research - Operational Satellite Applications Programme (UNITAR-UNOSAT). For more information please visit our website: www.reach-initiative.org. You can contact us directly at: geneva@reach-initiative.org and follow us on Twitter @REACH\_info.



5

