# Wanla Weyne district, Lower Shabelle region, Somalia

**SOMALIA** 

### CONTEXT

The protracted humanitarian crisis in Somalia is multi-layered and complex. Limited development coupled with recuring climatic shocks, such as drought and riverine-/flash-flooding give rise to high levels of need among affected populations, while insecurity and conflict severely hinder access to humanitarian actors. The majority of internally displaced persons (IDPs) reside in overcrowded shelters in densely populated urban areas, further increasing their exposure to the risks and impact of COVID-19.

The Detailed Site Assessment (DSA) was initiated in coordination with the Camp Coordination and Camp Management (CCCM) Cluster in order to provide the humanitarian community with up-to-date information on the location of IDP sites, the conditions and capacity of the sites, and an estimate of the severity of humanitarian needs of residents. Data collection for the current round of the DSA took place from December 2020 to March 2021 and assessed 2,363 IDP settlements in 61 districts across Somalia.

#### **METHODOLOGY**

Findings are based on key informant (KI) interviews with purposefully sampled KIs who reported on the settlement level. Interviews were conducted by REACH in accessible locations. Targeted areas within districts were determined based on a secondary data review, which drew on previous assessments conducted on IDP populations. After identifying target areas, REACH located IDP settlements by contacting the lowest level of governance<sup>1</sup>.

The methodology for the fourth round of the DSA was developed in close consultation with clusters and partner organisations and updated to improve the quality and reliability of data collected regarding IDP settlement locations. estimated size of resident populations, and the severity of humanitarin needs. The severity scale goes from 1 to 4+ and the severity phases are none/minimal, stress, severe, extreme and extreme+. For the list of indicators and the severity score calculations, see page 4 of this factsheet. All findings presented on this factsheet relate to the % of sites with a given response, and should be considered indicative, rather than representative, of the humanitarian situation in assessed sites.

To provide a local, context-specific overview and allow more targeted responses, this factsheet presents a summary of findings of assessed settlements in Wanla Weyne district only.

#### **Assessment information**



6 assessed sites hosting



510 households\*



3,219 individuals\*

#### **Displacement**

Total number of IDP individuals\* arriving into a new settlement in the past 3 months


23

Total number of IDP individuals\* departing from an old settlement in the past 3 months

3

\*This is an estimated number

## **ASSESSMENT COVERAGE MAP**



# Summary of severity score\*

Clusters	Severity Score	Severity phase
Food Security & Livelihoods	3	Severe
Nutrition	3	Severe
Health	4	Extreme
Protection	4	Extreme
Shelter & Non-Food Items	3	Severe
Education	2	Stress
Water, Sanitation & Hygiene	3	Severe

For the list of indicators and the severity score calculations, see page 4 on this factsheet.

\*The analysis methodology was adjusted between 2020 and 2021 in order to align with other multi-sectoral assessments carried out by REACH and other partners. This included adapting the ranking system. Therefore, the results for 2021 cannot be compared directly with the previous years, but can be useful to show the differences between the sectors and districts.

# Wanla Weyne district, Lower Shabelle region,





## FOOD SECURITY & LIVELIHOODS (FSL)

#### % of sites per FSL severity score:

No or minimal **Stress Extreme** Extreme+ 0%

Proportion of sites with no access to food markets:



Proportion of sites where the nearest market is more than 60 minutes away on



Three most commonly reported primary sources of food<sup>2</sup>:

Market purchases	67%	
Household production	33%	

NA

Most commonly reported strategies used by people in the settlement to cope with a lack of food<sup>2,4</sup>:

Purchase food with borrowed money	67%	
Borrowing food	33%	
Adults do not eat so children can eat	33%	

Proportion of sites where the population was reportedly not able to access enough food in the month prior to data collection:





### NUTRITION

#### % of sites per nutrition severity score:

No or minimal	Stress	Severe	Extreme	Extreme+
0%	17%	83%	0%	0%

Proportion of sites with no access to nutrition services:



Proportion of sites where the nearest nutrition facility is more than 60 minutes away on foot:



Proportion of sites where the following nutrition items had been received in the 3 months prior to data collection<sup>2,3</sup>:

Therapeutic & Supplementary Food	50%	
Therapeutic milk products	33%	
No items received	33%	

Proportion of sites by most common barriers to accessing nutrition services<sup>2,3</sup>:

Cost is too high	67%	
Facility not open	33%	
No issues	17%	



#### **HEALTH**

### % of sites per health severity score:

No or minimal	Stress	Severe	Extreme	Extreme+
17%	17%	00%	67%	0%

Proportion of sites with no access to healthcare facilities:



Proportion of sites where KIs reported no women are able to access skilled personnel while giving birth:



Proportion of sites by type of health services reportedly available in the cite<sup>2,3</sup>.

available iii tile site .		
Vaccinations	67%	
No services available	33%	
Child healthcare	17%	

Proportion of sites by type of health facilities available in the cite<sup>2,3</sup>.

iii tiie site .		
Pharmacy	67%	
Do not know	33%	
NA	%	



### **EDUCATION**

### % of sites per education severity score:

No or minimal	Stress	Severe	Extreme	Extreme+
0%	83%	17%	0%	0%

Proportion of sites reportedly having no access to learning facilities:



Proportion of sites where the nearest education facility is more than 60 minutes away on foot:



Reported type of learning facilities available at sites<sup>2,3</sup>:

Quoranic	100%	
Primary	67%	
Secondary	67%	

Most commonly reported barriers accessing education for girls<sup>2</sup>:

No barriers	50%	
School fees	50%	
Schools closed (for any reason)	17%	

Most commonly reported barriers accessing education for boys2:

No barriers	50%	
School fees	50%	
Security concerns of child travelling	33%	

<sup>&</sup>lt;sup>2</sup>Respondents could select multiple options. Applies to all questions with reference '2'. This relates to most common responses. Applies to all questions with reference 3.

<sup>&</sup>lt;sup>4</sup>The findings related a subset of 5 sites where KIs reported not having access to enough food.

# Wanla Weyne district, Lower Shabelle region,



## **PROTECTION**

### % of sites per protection severity score:

No or minimal	Stress	Severe	Extreme	Extreme+
0%	17%	0%	83%	0%

Proportion of sites reportedly having no child friendly spaces:



Proportion of sites reportedly having no designated spaces where women and girls can gather:



Proportion of sites where restrictions on movement during the day were reported:



Proportion of sites by types of safety and security incidents that reportedly happened in the site in the 3 months prior to data collection<sup>2,3,5</sup>:

Prefer not to answer	67%	
Do not know	33%	
No incidents occurred	33%	

Proportion of sites by reported locations where safety and security incidents typically occur<sup>2,3,6</sup>:

When leaving IDP site	50%	
Do not know	50%	
NA		



### **SHELTER & NON-FOOD ITEMS**

### % of sites per nutrition severity score:

No or minimal	Stress	Severe	Extreme	Extreme+
0%	50%	<b>50</b> %	0%	0%

Proportion of sites reportedly having no access to markets selling NFIs:



Three most commonly reported types of NFIs available at markets<sup>2,7</sup>:

Medicines	100%	
Hygienic menstruation materials	100%	
Local construction materials	100%	

Proportion of sites where KIs reported fires occurred in the sites in the 3 months prior to data collection:



Proportion of sites where KIs reported floods occurred in the sites in the 12 months prior to data collection:



Most commonly reported types of shelters at sites<sup>2,8</sup>:

Buul	100%	
Shelter constructed using shelter kit	33%	
NA		

## \_\_\_

# WATER, SANITATION & HYGIENE (WASH)

#### % of sites per WASH severity score:

No or minimal	Stress	Severe	Extreme	Extreme+
0%	67%	17%	17%	0%

#### Water

Proportion of sites where the nearest functioning water source is more than 60 minutes away on foot:



#### Three most commonly reported primary sources of water<sup>2,4,9</sup>:

Protected well with hand pump	75%	
Water kiosk (humanitarian)	25%	
NA		

# Proportion of sites by reported methods used to treat water<sup>2,3</sup>:

Do not treat water	50%	
Chlorine tablets/aquatabs	33%	
Do not know	33%	

# <sup>5</sup> Incidents due to UXO ("Unexploded ordnance (UXO) is any sort of military ammunition or explosive ordnance which has failed to function as intended")

#### Sanitation:

Proportion of sites where the nearest functional latrine is more than 60 minutes away on foot:



Proportion of sites by reported strategies for disposing of solid waste<sup>2,3</sup>:

In open	60%	
Burning	40%	
NA		

#### Hygiene:

Top three groups reportedly facing impediments in accessing latrines<sup>2,10</sup>:

Elders (Persons aged 60 and more)	33%	
Minorities (persons not affiliated with the	33%	
Children	17%	

Proportion of sites where the population reportedly received hygiene support in the 3 months prior to data collection:



<sup>&</sup>lt;sup>6</sup>The findings related a subset of 2 sites where KIs reported incidents occurred in the sites in past 3 months prior to the data collection

<sup>&</sup>lt;sup>7</sup>The findings related a subset of 1 sites where KIs reported having access to NFI markets.

<sup>&</sup>lt;sup>8</sup>Corrugated Iron Sheets.

<sup>&</sup>lt;sup>9</sup>The findings related a subset of 1 sites where KIs reported presence of water sources at the sites.

<sup>&</sup>lt;sup>10</sup>The findings related a subset of 6 sites where KIs reported having access to functioning latrines or bathing

# Wanla Weyne district, Lower Shabelle region,





# Accountability to Affected Populations (AAP)

Proportion of sites by sources of information reportedly used to receive information about humanitarian services<sup>2,3</sup>:

Radio	67%	
Do not get any information	33%	
Television	0%	

Three most common sources of information for persons with disabilities<sup>2</sup>:

Radio	67%	
Do not get any information	33%	
Television	0%	

Proportion of sites by problems reportedly experienced during the delivery of humanitarian assistance<sup>2,3</sup>:

Some population groups not receiving aid	50%	
Prefer not to answer	50%	
Fighting between recipients	0%	

Proportion of sites where KIs reported people have access to a feedback mechanism:



# \*

# **COVID-19** Knowledge, Attitude, and Practices (KAP)

Proportion of sites where most people reportedly think of COVID-19 as an important issue:

Yes	80%	
No	20%	
Do not know	0%	

Proportion of sites by reported actions taken by most people to prevent the spread of COVID-19<sup>2,3</sup>:

No action taken	67%	
Regular handwashing	17%	
Praying	17%	

Average of reported estimate proportions of households per site with access to functioning hand-washing facilities with water and soap:

0 - 25%	26 - 50%	51 - 75%	76 - 100%
67%	33%	0%	0%

# 💫 Camp Coordination and Camp Management

Proportion of sites by reported type of site management<sup>2,3</sup>:

No management	100%	
Do not know	17%	
NΑ		

Proportion of sites by committees reportedly available in the site: settlements<sup>2,3</sup>:

No committees	67%	
Camp management committee	17%	
Women committee	17%	

Proportion of sites where KIs reported that women are present in committees:

100%

## **SEVERITY SCORE CALCULATION**

The severity scores for a given sector is produced by aggregating unmet needs indicators per sector. For this round of the DSA, a simple aggregation methodology has been identified, building on the Multidimensional Poverty Index (MPI) aggregation approach. Using this method, each site is assigned a deprivation score according to its deprivations in the component indicators. The deprivation score of each site is obtained by calculating the percentage of the deprivations experienced, so that the deprivation score for each site lies between 0 and 100. The method relies on the categorization of each indicator on a binary scale: does ("1") / does not ("0") have a gap. The threshold for how a site is considered to have a particular gap or not is determined in advance for each indicator. The DSA IV aggregation methodology outlined below can be described as "MPI-like", using the steps of the MPI approach to determine an aggregated needs severity score, with the addition of "critical indicators" that determine the higher severity scores. The section below outlines guidance on how to produce the aggregation using KI data.

- 1) Identified indicators that measure needs ('gaps') for each sector, capturing the following key dimensions: accessibility, availability, quality, use, and awareness. Set binary thresholds: does ("1") / does not ("0") have a gap;
- 2) Identified critical indicators that, on their own, indicate a gap in the sector overall;
- 3) Identified individual indicator scores (0 or 1) for each site, once data had been collected;
- 4) Calculated the severity score for each site, based on the following decision tree (tailored to each sector);
- a. "Super" critical indicator(s): could lead to a 4+ if an extreme situation is found for the site;
- b. **Critical indicators**: using a decision tree approach, a severity class is identified based on a discontinued scale of 1 to 4 (1, 3, 4) depending on the scores of each of the critical indicators;
- c. **Non-critical indicators**: the scores of all non-critical indicators are summed up and converted into a percentage of possible total (e.g. 3 out of 4 = 75%) to identify a severity sector;
- d. The final score/severity class is obtained by retaining the highest score generated by either the super critical, critical or non-critical indicators. The indicators for each cluster were selected in coordination with all the clusters. In total 53 indicators were selected to assess the severity of needs across 7 clusters.

Note: The indicators for CCCM and Accountability to Affected Population (AAP) are not part of the severity calculations across the sectors. Hence, the CCCM and AAP sections in this factsheet do not present the severity scores





# **ASSESSMENT CONDUCTED IN THE** FRAMEWORK OF:

**Somalia Assessment Working Group Somalia Information Management Working Group** 

# **FUNDED BY:**



# WITH THE SUPPORT OF:





















# Data Collection partners

- Islamic Relief
- WISE
- 3 ACTED
- 4 Kaalo
- IOM
- SHACDO
- 7 IOM-CCM
- ASAL

For a more detailed overview of the methodology and a comprehensive list of all the composite indicators that were used, you can access the terms of reference (ToR) here. The indicators and their respective thresholds are included in the annex section of the ToR, page 56-78.

#### **About REACH:**

REACH facilitates the development of information tools and products that enhance the capacity of aid actors to make evidence-based decisions in emergency, recovery and development contexts. The methodologies used by REACH include primary data collection and in-depth analysis, and all activities are conducted through inter-agency aid coordination mechanisms. REACH is a joint initiative of IMPACT Initiatives, ACTED and the United Nations Institute for Training and Research - Operational Satellite Applications Programme (UNITAR-UNOSAT). For more information please visit our website: www.reach-initiative.org. You can contact us directly at: geneva@reach-initiative.org and follow us on Twitter @REACH\_info.

