

# **Communicable Disease Vulnerability Score District Profile Yemen IDP Hosting Sites**

District: Al Qabbaytah Governorate: Lahj

April 2020

# Methododology

To inform prioritization of preparedness and response in Yemen in terms of communicable diseases including COVID-19, this profile summarizes key risk indicators per district in Yemen as a result of the existence of IDP sites/camps. Since many of these sites lack essential services and are home to large numbers of vulnerable people, communicable diseases are a recurring threat. This profile is an overview of Al Qabbaytah district.

Indicators were weighted to determine a district-level Communicable Disease Vulnerability Score for IDP populations living in sites. The Score has been designed in collaboration with the CCCM Cluster and with expert input from the Health and Water, Sanitation, and Hygiene (WASH) Clusters.\*

All information is for humanitarian use only.

#### **District Overview**


|   | # of sites (Site Reporting):   | 2          |
|---|--|------------|
|   | # of sites (IDP Hosting Sites Master List)   | 3          |
| İ | Total IDP population (Site Reporting): Total IDP population (IDP Hosting Sites Master List): | 995<br>243 |
|   | Total district population: <sup>2</sup>  | 126,388    |

## Vulnerable Groups

| # of sites with elderly populations (60+):3    | 2/2 |
|--|-----|
| # of sites with persons with chronic diseases: | 2/2 |

\*For more information on the methodology, please refer to the methodology note.

### District-level CCCM Communicable Disease Vulnerability Score: 4 (Major Vulnerability)



| CCCM Communicable Disease Vulnerability Score Indicators <sup>5</sup> |   |         | Score <sup>6</sup> |
|---|---|---------|--------------------|
| Wilmanship maning   | % of sites with presence of elderly populations (60+)   | 100%    | •                  |
| Vulnerable groups   | % of sites with presence of persons with chronic diseases   | 100%    | •                  |
| Threats to sites  | % of IDPs living in sites where infectious diseases were reported as a threat                         | 0%      |                    |
| Till cate to sites  | % of IDPs living in sites where water contamination was reported as a threat                          | 0%      |                    |
|   | % of IDPs living in sites reporting use of unsafe and/or unprotected <sup>7</sup> water sources       | 100%    | •                  |
| Critical service gap  | % of IDPs living in sites reporting inadequate or non-existent WASH services                          | 100%    | •                  |
|   | % of IDPs living in sites reporting inadequate or non-existent healthcare services                    | 100%    | •                  |
| Drievity needs  | % of IDPs living in sites reporting water and sanitation services as priority needs                   | 100%    |                    |
| Priority needs  | % of IDPs living in sites reporting medical assistance as a priority need                             | 0%      |                    |
| Cholera and GAM Indicators  |   | Results | Score              |
| Cholera   | District-level attack rate of suspected cholera cases or acute watery diarrhoea per 10,000 population | 41.86   | •                  |
| GAM   | District-level rate of GAM  | 10%     |                    |

<sup>&</sup>lt;sup>1</sup> Yemen Nutrion Cluster and Health Cluster, February 2020.

<sup>6 0 (</sup>Minimal Vulnerability), 1 (Minor Vulnerability), 2 (Moderate Vulnerability), 3 (Significant Vulnerability), 4 (Major Vulnerability), 5 (Severe Vulnerability), 6 (Critical Vulnerability), <sup>7</sup> Illegal connection to piped network, unprotected rainwater tank/well/spring, borehole.



. CCCM CLUSTER SUPPORTING DISPLACED COMMUNITIES

<sup>&</sup>lt;sup>2</sup> OCHA population figures - 2019 projections.

<sup>&</sup>lt;sup>3</sup>As per <u>Sphere Standards</u>

<sup>&</sup>lt;sup>4</sup>The Communicable Disease Vulnerability Score per district is calculated by taking a weighted average of the severity scores for each indicator and is determined using a seven-point scale.

See Methodology Note