

IDP Camp Profile - Bersive 2

Dahuk, Iraq December 2015 Management agency: BRHA

Manager/Focal point: Mamoon yahya mohiadeen 7504590861

Phone number: Email:

Bersv2.camp@gmail.com

Registration actor: **BRHA**

Summary

This profile provides an overview of conditions in Bersive 2 camp. Primary data was collected through household surveys on 29/12/2015. Households were randomly sampled to a 95% confidence and 10% margin of error, based on population figures provided by CCCM. In some cases, additional information from camp managers has been used to support findings. Round III of data collection was in September 2015.

Camp Overview

of individuals: 9486 # of households: 1561 Date opened: 16/11/2014 Accommodation: 1820 Ongoing extension: no Planned capacity: n/a Camp area: 0.47 km²

Demographics




Location Map



IDP Camp Map - Bersive 2

Lat.37° 10' 57.654" N Long. 42° 51' 51.759" E



The second					
Sectoral Minimum Standards		Target	Previous Round	Current Round	Achievement
Education	% of children aged 6-11 attending formal school % of children aged 12-17 attending formal school	100% 100%	79% 79%	72% 64%	•
Food	% of households accessed Family Food Parcel or equivalent in the past month	100%	93%	92%	•
Health	Health services are available on-site or within walking distance	yes	yes	yes	•
CCCM	Average open area per household	min. 30m²	264m²	261 m ²	•
Protection	% of IDPs registered on an individual basis (MODM/DDM)	100%	97%	99%	•
Shelter	% of households accessed shelter assistance since arrival at the camp Average covered area per person Average number of individuals per tent	100% min. 3.5m² max.5	100% 4.6m² 5	100% 3.8 m² 5	•
WASH	# of persons per latrine # of persons per shower Frequency of solid waste disposal at least weekly	max. 20 max. 20 min. weekly	28 28 yes	10 10 yes	•

Targets based on minimum standards agreed with the CCCM Cluster, Iraq. Findings based on household-level data, enumerator field observations, and camp management documentation • Minimum standard reached, • More than 50% minimum standard reached, • Less than 50% of minimum standard reached or not at all







IDP Camp Profile - Bersive 2

Dahuk, Iraq December 2015 Management agency: BRHA

Manager/Focal point: Mamoon yahya mohiadeen

7504590861 Phone number:

Bersv2.camp@gmail.com

Registration actor: **BRHA**



Shelter

Top three observed shelter types*		
Tent on cement base 100%		
n/a n/a		
n/a n/a		
*Households were asked to select all shelter typologies within household.		
Winterization and household items		
89% reported a second fly sheet		

0% reported at least one stove or space heater 9% reported at least one blanket per person 1 average number of carpets per HH average number of mattresses per HH

Hazards

17% reported exposed electrical cables at site

Shelter Improvement

reported making own improvements to their shelter **137 USD** average total reported cost of shelter improvements *Conversion rate: 1 USD = 1,106.37 IQD

Households reporting flooding in past three months, by type

No flooding 96% Flooding (temporary damage) Flooding (permanent damage) 2%



Household Income

reported a household income of under 10 USD in the 36% past month (including aid, gifts or pension)

reported humanitarian aid within top three sources of 52% livelihood in past month



Protection

Family Separation

0% reported hosting unaccompanied or separated minors 0% reported that other family members intended to join them

Vulnerable groups

Pregnant / lactating women Chronically ill individual(s) Disabled individual(s) 2%

Intentions

planned to move to a different location in next 3 months 0%

Restrictions


0% reported entry or exit restrictions during daylight hours

Documentation

reported missing civil documents 13%

Food Security and Coping Strategies

Email:





WASH

Latrines and showers

100% reported access to functional latrines 99% reported access to functional showers

Top three reported methods of waste removal

Communal Bin 100% n/a n/a n/a n/a

Primary reported drinking water source

0% connection inside the home to collective water storage 100% connection inside the home to private water storage 0% communal water tap outside the shelter

0% purchased from shop

0% open well 0% other source

Access to water

reported 24 consecutive hours 0% without access to water in the past month

Community Organisation

IDP committees

100% reported awareness of IDP committee(s)

Of these, IDPs reported that camp committees were as follows:

93% representative of camp composition 13% included female representation 24% had elected representative(s) 79% had a complaints mechanism

Access to fire-extinguishers

95% reported awareness of available fire-extinguishers

