
BANGLADESH - Rohingya Refugee Crisis - Cox's Bazar District Modelled Flood Hazard - 1 in 10 Year Rainfall Event - Sub-Block Level Flood Extent



Description:

This map shows the modelled flood extent following a 10-year average return interval (ARI) rainfall event. Links to maps showing the modelled flood depths and detailing the underlying methodology can be found in the Hydrodynamic Modelling data sources below. Only water depths greater than 0.05 metres are considered. Camp names and Block letters are labelled on the maps.

N.B: Camp 20 Extension: Calculated at the camp level as there are no published block and sub-block boundaries.

KRC and NRC: Calculated at the block level as there are no published sub-block boundaries.

Uses and Limitations:

The aim of this map is to help planners and decision makers identify priority areas for interventions at camp sub-block level. It is not designed as a standard tool for detailed site planning decisions. Map results need to be ground verified and decisions combined with specific on-site evaluation and appropriate technical expertise. The map does not provide any information about water flow.

Results are derived from remote sensing and computational modelling; they are not ground proofed and inherently limited by the quality of the input data/or model assumptions. The flood zones do not necessarily imply exposure and, similarly, the areas outside the flood extents are not necessarily free from any danger.

Data Sources:

Camp Boundary: ISCG, 2020 Block and Subblock Boundary: ISCG, 2021 Coordinate System: WGS 1984 UTM Zone 46N Hydrodynamic Modelling: • ARUP, 2019 (Teknaf)

Deltares, 2019 (Kutupalong)

Disclaimer:

Data, designations, and boundaries contained on this map are not warranted to be errorfree and do not imply acceptance by REACH.REACH Initiative in Bangladesh is an implementing partner for HELVETAS Swiss Intercooperation.

 $\label{eq:contact_information:} contact \ information: \ reach.mapping@impact-initiatives.org$

